

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Product datasheet for TA500950**

## Annexin A11 (ANXA11) Mouse Monoclonal Antibody [Clone ID: OTI1C6]

**Product data:** 

**Product Type: Primary Antibodies** 

Clone Name: OTI1C6 **Applications:** FC. IF. WB

**Recommend Dilution:** IHC 1:100~200, WB: 1:200

Reactivity: Human Host: Mouse Isotype: lgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ANXA11 (NP\_001148) produced in

HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Predicted Protein Size:** 54.4 kDa Gene Name: annexin A11

**Database Link:** NP 001148 Entrez Gene 311 Human

Background: This gene encodes a member of the annexin family, a group of calcium-dependent

> phospholipid-binding proteins. Annexins have unique N-terminal domains and conserved Cterminal domains, which contain the calcium-dependent phospholipid-binding sites. The encoded protein is a 56-kD antigen recognized by sera from patients with various


autoimmune diseases. Transcript variants encoding the same isoform have been identified.

ANX11; CAP50 Synonyms:






## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ANXA11 ([RC212191], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ANXA11. Positive lysates [LY420097] (100ug) and [LC420097] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (10ug) from 6 different cell lines by using anti-ANXA11 monoclonal antibody (1:200).






Equivalent amounts of cell lysates (10 ug per lane) of wild-type 293T cells (WT, Cat# LC810293T) and ANXA11-Knockout 293T cells (KO, Cat# [LC842105]) were separated by SDS-PAGE and immunoblotted with anti-ANXA11 monoclonal antibody TA500950 (1:500`). Then the blotted membrane was stripped and reprobed with anti-HSP90 antibody as a loading control.



Anti-ANXA11 mouse monoclonal antibody (TA500950) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ANXA11 ([RC212191]).



HEK293T cells transfected with either pCMV6-ENTRY ANXA11 ([RC212191]) (Red) or empty vector control plasmid (Blue) were immunostained with anti-ANXA11 mouse monoclonal (TA500950), and then analyzed by flow cytometry.