

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA501209

EMG1 Mouse Monoclonal Antibody [Clone ID: OTI1B8]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1B8

Applications: FC, IF, WB

Recommend Dilution: WB 1:1000~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Monkey, Dog

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human EMG1(NP_006322) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.97 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Predicted Protein Size: 26.5 kDa

Gene Name: EMG1 N1-specific pseudouridine methyltransferase

Database Link: NP 006322 Entrez Gene 477708 DogEntrez Gene 722122 MonkeyEntrez Gene 10436 Human

Background: This gene encodes an essential, conserved eukaryotic protein involved in ribosome


biogenesis. In yeast, the related protein is a component of the small subunit processome and is essential for biogenesis of the ribosomal 40S subunit. A mutation in this gene has been associated with Bowen-Conradi syndrome. COMPLETENESS: complete on the 3' end.

Synonyms: C2F; Grcc2f; NEP1







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY EMG1 ([RC208885], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-EMG1. Positive lysates [LY401906] (100ug) and [LC401906] (20ug) can be purchased separately from OriGene.





Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-EMG1 monoclonal antibody.



Anti-EMG1 mouse monoclonal antibody (TA501209) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY EMG1 ([RC208885]).







Flow cytometric Analysis of Hela cells, using anti-EMG1 antibody (TA501209), (Red), compared to a nonspecific negative control antibody ([TA50011]), (Blue).

Flow cytometric Analysis of Jurkat cells, using anti-EMG1 antibody (TA501209), (Red), compared to a nonspecific negative control antibody ([TA50011]), (Blue).