

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **Product datasheet for TA501409**

## Thimet Oligopeptidase (THOP1) Mouse Monoclonal Antibody [Clone ID: OTI2D3]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2D3
Applications: IHC, WB

Recommend Dilution: WB 1:2000, IHC 1:150

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human THOP1 (NP\_0003240) produced in

HEK293T cell.

**Formulation:** PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.67 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Predicted Protein Size: 78.7 kDa

**Gene Name:** thimet oligopeptidase 1

Database Link: NP 003240 Entrez Gene 7064 Human
Synonyms: EP24.15; MEPD\_HUMAN; MP78; TOP


**Protein Families:** Druggable Genome, Protease

**Protein Pathways:** Renin-angiotensin system






### **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY THOP1 ([RC201738], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-THOP1. Positive lysates [LY401123] (100ug) and [LC401123] (20ug) can be purchased separately from OriGene.



Equivalent amounts of cell lysates (10 ug per lane) of wild-type HEK293T cells (WT, Cat# LC810293T) and THOP1-Knockout HEK293T cells (KO, Cat# [LC842021]) were separated by SDS-PAGE and immunoblotted with anti-THOP1 monoclonal antibody TA501409 (1:500). Then the blotted membrane was stripped and reprobed with anti-PCNA antibody as a loading control.





Immunohistochemical staining of paraffinembedded Human liver tissue within the normal limits using anti-THOP1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA501409)