

Product datasheet for TA503752


APBB3 Mouse Monoclonal Antibody [Clone ID: OTI5G3]

Product data:


| | |
|-------------------------|--|
| Product Type: | Primary Antibodies |
| Clone Name: | OTI5G3 |
| Applications: | FC, IHC, WB |
| Recommend Dilution: | WB 1:500, IHC 1:150, FLOW 1:100 |
| Reactivity: | Human |
| Host: | Mouse |
| Isotype: | IgG1 |
| Clonality: | Monoclonal |
| Immunogen: | Full length human recombinant protein of human APBB3(NP_573419) produced in HEK293T cell. |
| Formulation: | PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide. |
| Concentration: | 0.39 mg/ml |
| Purification: | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G) |
| Predicted Protein Size: | 52.4 kDa |
| Gene Name: | amyloid beta precursor protein binding family B member 3 |
| Database Link: | NP_573419 Entrez Gene 10307 Human |
| Background: | The protein encoded by this gene is a member of the APBB protein family. It is found in the cytoplasm and binds to the intracellular domain of the Alzheimer's disease beta-amyloid precursor protein (APP) as well as to other APP-like proteins. It is thought that the protein encoded by this gene may modulate the internalization of APP. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq] |
| Synonyms: | FE65L2; SRA |




[View online »](#)

Product images:


HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY APBB3 ([RC219752], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-APBB3. Positive lysates [LY408843] (100ug) and [LC408843] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human breast tissue using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)




Immunohistochemical staining of paraffin-embedded Human colon tissue within the normal limits using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)




Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)




Immunohistochemical staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)




Immunohistochemical staining of paraffin-embedded Human endometrium tissue within the normal limits using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)




Immunohistochemical staining of paraffin-embedded Human prostate tissue within the normal limits using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)



Immunohistochemical staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)



Immunohistochemical staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-APBB3 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA503752)



HEK293T cells transfected with either [RC219752] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-APBB3 antibody (TA503752), and then analyzed by flow cytometry.