

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **Product datasheet for TA805591**

## Caspase 4 (CASP4) Mouse Monoclonal Antibody [Clone ID: OTI9F6]

### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI9F6
Applications: WB

Recommend Dilution: WB 1:2000

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 81-270 of human CASP4

(NP\_150649) produced in E.coli.

**Formulation:** PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Predicted Protein Size:** 36.5 kDa **Gene Name:** caspase 4

Database Link: NP 150649 Entrez Gene 837 Human

**Background:** This gene encodes a protein that is a member of the cysteine-aspartic acid protease (caspase)

family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes composed of a prodomain and a large and small protease subunit. Activation of caspases requires proteolytic processing at conserved internal aspartic residues to generate a heterodimeric enzyme consisting of the large and small subunits. This caspase is able to cleave and activate its own precursor protein, as well as caspase 1 precursor. When overexpressed, this gene induces cell apoptosis. Alternative splicing results in transcript variants encoding distinct isoforms. [provided by RefSeq, Jul

2008]


Synonyms: ICE(rel)II; ICEREL-II; ICH-2; Mih1; TX

**Protein Families:** Druggable Genome, Protease





# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CASP4 ([RC204711], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CASP4. Positive lysates [LY409623] (100ug) and [LC409623] (20ug) can be purchased separately from OriGene.