

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA807721

GPNMB Mouse Monoclonal Antibody [Clone ID: OTI8A10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI8A10
Applications: IHC, WB

Recommend Dilution: WB 1:200~2000, IHC 1:150

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GPNMB (NP_001005340) produced in

HEK293T cell.

Formulation: PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Gene Name: glycoprotein nmb

Database Link: NP 001005340 Entrez Gene 10457 Human

Background: The protein encoded by this gene is a type I transmembrane glycoprotein which shows

homology to the pMEL17 precursor, a melanocyte-specific protein. GPNMB shows expression

in the lowly metastatic human melanoma cell lines and xenografts but does not show expression in the highly metastatic cell lines. GPNMB may be involved in growth delay and reduction of metastatic potential. Two transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Jul 2008]


Synonyms: HGFIN; NMB

Protein Families: Druggable Genome, Transmembrane






Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GPNMB ([RC207615], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GPNMB. Positive lysates [LY400379] (100ug) and [LC400379] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-GPNMB mouse monoclonal antibody. (Heatinduced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA807721)





Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-GPNMB mouse monoclonal antibody. (Heat-induced epitope retrieval by 1 mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, TA807721)