

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Product datasheet for TA809015**

## PSD95 (DLG4) Mouse Monoclonal Antibody [Clone ID: OTI12A5]

**Product data:** 

**Product Type: Primary Antibodies** 

Clone Name: OTI12A5

**Applications:** WB

**Recommend Dilution:** WB 1:2000

Reactivity: Human Mouse Host:

Isotype: lgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human DLG4 (NP\_001356) produced in HEK293T

Formulation: PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

discs large MAGUK scaffold protein 4 Gene Name: Database Link: NP 001356 Entrez Gene 1742 Human

Background: This gene encodes a member of the membrane-associated guanylate kinase (MAGUK) family.

> It heteromultimerizes with another MAGUK protein, DLG2, and is recruited into NMDA receptor and potassium channel clusters. These two MAGUK proteins may interact at

postsynaptic sites to form a multimeric scaffold for the clustering of receptors, ion channels, and associated signaling proteins. Multiple transcript variants encoding different isoforms

have been found for this gene. [provided by RefSeq, Jul 2008]


PSD95; SAP-90; SAP90 Synonyms: **Protein Families:** Druggable Genome **Protein Pathways:** 

Huntington's disease






## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DLG4 ([RC215178], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DLG4 (1:2000). Positive lysates [LY419977] (100ug) and [LC419977] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 2 different tissues by using anti-DLG4 monoclonal antibody (1:500).